

Suzaku and Fermi observations of Gamma-ray bright Radio Galaxies : Origin of the X-ray Emission and Broad-Band Modeling

Fukazawa+14 ApJ, accepted

Yasushi Fukazawa (Hiroshima U.)




Justin Finke (NRL), Lukasz Stawarz (ISAS),
Shin'ya Tokuda, Ryosuke Itoh, Yasuyuki Tanaka
(Hiroshima University)
on behalf of the Fermi-LAT collaboration

Radio Galaxies

Fermi-LAT detected 11 radio galaxies during the 1st year. (21 in 3th LAT AGN Catalog ; See Lott's talk)

However, inner jet emission has been detected mainly in the radio and GeV gamma-ray band for most objects, due to bright stellar and accretion disk components in the optical and X-ray band; SED of jet emission is unclear.


Thus, X-ray detection of jet is important for SED modeling.



1-yr LAT radio galaxies

Abdo+10

All objects were observed with
Suzaku X-ray satellites.




- | | |
|---------------|---------------|
| NGC1275 | Yamazaki+12 |
| Cen A* | Fukazawa+11 |
| M87 | this work |
| NGC6251 | Evans+11 |
| 3C111 | Tombesi+11 |
| 3C120 | Kataoka+07,11 |
| PKS0625-354* | this work |
| 3C78/NGC1218* | this work |

*: We are Pls.


Suzaku X-ray spectra of radio galaxies

NGC6251(Evans+11)


3C111(Tombesi+11)





NGC1275 (Yamazaki+13;
See Edahiro's talk)




3C120(Kataoka+07,11)




Cen A (Fukazawa+11)




Fe-K
No Fe-K
Jet emission ?
M87 HST-1 knot
(Fukazawa+14)






PKS0625-354



Similar to BL Lac



3C78

	z	FR	class	Γ_γ Gamma-ray Photon index	L_γ (log10)
3C78	0.029	I	Sy1	1.9 ± 0.2	42.8
NGC1275	0.018	I	Sy2/NLRG	2.1 ± 0.1	44.0
3C111	0.049	II	Sy1/BLRG	2.5 ± 0.2	44.0
3C120	0.033	I	Sy1/BLRG	2.7 ± 0.3	43.4
PKS0625-354	0.055	I	LINER	2.1 ± 0.2	43.7
M87	0.004	I	Sy/NLRG	2.2 ± 0.1	41.7
Cen A	0.0009	I	Sy2	2.5 ± 0.1	41.1
NGC6251	0.024	I	Sy2	2.5 ± 0.1	43.3

Gamma-ray
luminosity

Suzaku observed
two radio galaxies
in 2011.


Here, we focus on the analysis of PKS0625-354 and 3C78

Suzaku X-ray spectra of PKS0625-354 and 3C78


We observed these sources with Suzaku in 2011-2012.

Source	N_{H} 10^{20} cm^{-2}	kT keV	Z Z_{\odot}	$L_{0.5-10 \text{ keV}}$ $10^{42} \text{ erg s}^{-1}$	Γ_{X}	$L_{2-10 \text{ keV}}$ $10^{42} \text{ erg s}^{-1}$	EW eV	$\chi^2/\text{d.o.f}$
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
PKS 0625-354	9 ± 1 (6.36)	0.24 ± 0.02	$0.3^{(f)}$	9.6	2.25 ± 0.02	49	< 7	640/486
3C 78	14 ± 2 (9.51)	0.29 ± 0.04 1.07 ± 0.06	$0.3^{(f)}$ $0.3^{(f)}$	1.0	2.32 ± 0.04	2.0	< 75	572/567

PKS0625-354




3C78



Suzaku X-ray light curve


PKS0625-354

PKS 0625-354



3C78


3C 78




Origin of X-ray Emission

Fe-K line EWs of PKS0625-354, 3C78, M87, NGC6251 are smaller than those of typical Seyfert galaxies.

X-ray luminosity of PKS0625-354 is higher than that of typical Seyfert galaxies with a similar [O III] luminosity.




Log L O[III] with Mulchaey+94, Winter+10



Log L x

with Fukazawa+11



Log L x

Origin of X-ray Emission

Source	Fe-K line	X-ray spectral index	X-ray variability	[O III] line	Type [ref.]
3C 78	jet	jet	inconclusive	jet	LERG [B10]
NGC1275	disk/corona	inconclusive	inconclusive	disk/corona	HERG/LERG [†]
3C 111	disk/corona	inconclusive	inconclusive	disk/corona	HERG [‡] [E00]
3C 120	disk/corona	inconclusive	inconclusive	disk/corona	HERG [‡] [E00]
PKS 0625–354	jet	jet	inconclusive	jet	LERG [M14]
M 87	jet	jet	jet	jet	LERG [G13]
Cen A	disk/corona	inconclusive	jet	inconclusive	HERG [E04]
NGC 6251	jet	inconclusive	inconclusive	jet	LERG [E11]

For low excitation radio galaxies (LERG) , which are considered to have a low mass accretion rate, their X-ray emission is likely to be a jet origin.

LAT Analysis with 5 years data

Science tools v9r32p5

2008.8 – 2013.08

P7REP_SOURCE_V15

Binned likelihood 12deg x 12deg region

0.2-300 GeV

2year Catalog + Galactic diffuse + Isotropic background (norm free)

Fermi Gamma-ray Spectra



Source (1)	Γ_{HE} (2)	$F_{0.1-100 \text{ GeV}}$ (3)	TS (4)
PKS 0625-354	1.72 ± 0.06	6.7×10^{-9}	403.2
3C 78	2.01 ± 0.16	4.9×10^{-9}	61.3

PKS0625-354

3C78

PKS 0625-354


3C 78



Fermi Gamma-ray Light curve


PKS0625-354

PKS 0625-354




3C78

3C 78




One-zone SSC modeling (with Finke+08 framework)

PKS0625-354



3C78(NGC1218)



SED fitting parameters ; Comparison with other radio galaxies


All the fittings were done by the one-zone SSC model (Finke+08)

Lower bulk Lorentz factors compared to those of typical blazars

	PKS 0625–354		3C 78		Cen A	M 87	NGC 1275	NGC 6251
Γ	5.8	5.7	2.93	5.75	7.0	2.3	1.8	2.4
δ	5.8	5.8	2.92	5.75	1.0	3.9	2.5	2.4
θ [deg]	10	19	20	20	30	10	25	25
B [G]	0.82	0.11	0.77	0.02	6.2	0.055	0.05	0.04
t_v [Ms]	0.1	1	0.1	1	0.1	1.2	30	1.7
R_b [10^{16} cm]	1.6	16	0.85	17	0.3	1.4	200	12
p_1	2.5	2.5	2.7	2.7	1.8	1.6	2.1	2.75
p_2	3.5	3.5	3.7	3.7	4.3	3.6	3.1	4.0
γ_{min}	6×10^3	6×10^3	1×10^3	1×10^4	3×10^2	1	8×10^2	250
γ_{max}	2×10^6	6×10^6	2×10^7	2×10^7	1×10^8	1×10^7	4×10^5	4.4×10^5
γ_{brk}	2.9×10^4	4.6×10^4	7.3×10^4	1.4×10^5	8×10^2	4×10^3	9.6×10^2	2.0×10^4
$P_{j,B}$ [10^{42} erg s $^{-1}$]	43	740	0.3	2.5	65	0.02	230	0.4
$P_{j,e}$ [10^{42} erg s $^{-1}$]	2	10	0.6	13	31	7	120	160

PKS0625-354 and 3C78: High-E peak radio galaxies

Outliers of Meyers' model which states the high-E peaked objects are only the most aligned jet objects with radiatively inefficient accretion and decelerating weak jet (**FR-I/BL Lac unification**).



Summary

We have presented Suzaku results of **nearby Fermi-LAT detected low-power radio galaxies**.

Based on the Fe-K and X-ray spectral slope, X-ray variability, and [O III] line strength, **we argued that LERGs shows a jet-origin X-ray emission**.

We analyzed the 5-year s LAT data , derived their SEDs, and found that **the bulk Lorentz factors of both objects are** typical of those found from other LAT-detected FR-I radio galaxies, **and lower than typically found for BL Lac objects**.

The synchrotron peak frequencies for PKS0625-354 and 3C78 are unusually high for radio galaxies , and this seems **at odds with the FR-I/BL Lac unification**.