

Fermi Data Analysis Workshop

Fermi Cycle-3 Guest Investigator Program

Chris Shrader, Fermi Science Support Center NASA/GSFC



Synopsis



- Description of GI program
- Cycle 1 & 2 Summary
- What's new for Cycle-3
 - Implementation timeline
- Fermi SSC User Support Services
- Tips for proposers
- How to submit a proposal



Program Description




- Unique nature of the Fermi GST defines the Guest Investigator Program
 - Proposals are typically requests for grant support rather than data rights, spacecraft orbits or *ksec*
- Program open to international community
- Data analysis &/or analysis methodologies, coordinated observations, & theory
- NOAO and NRAO joint programs
- Pointed observations (ToO &/or Scheduled)
- Single year, or (~few percent) multi-year



Cycle-1 Summary



- LAT data was proprietary during year 1
 - Limited high-level product release
 - GBM data analysis, related theory, coordinated observations and analysis methodologies
- No proprietary data after 9/2009
- 167 proposals received, 44 accepted
 - Included 8 large (multi-year) project
- Average grant \$80k (~\$4M total)
 - (\$170k large)







Cycle-2 Summary



- LAT data became public
- Early mission science
 →shift in topical
 breakdown







Cycle-2 Program



- 199 proposals received, 80 selected
 - 79 grants
 - 8 "Progress Reports", all passed
- 3 multi-year "Large Projects" selected
 - Down from 8 selections in Cycle-1
- Average grants: \$174k (multi-year) \$78k (regular)
- NRAO: ~650 hours awarded
 - − ~50% of proposed amount
- NOAO: under-utilized resource
 - 3 requests, 1 award (24 hrs)



Cycle-3 NRA



- Streamlines proposal types
 - Fewer categories, but no loss as far as what can be proposed
 - e.g. don't need separate LAT data analysis, GBM data analysis and data analysis methods categories
- Separate caps for US Co-I budgets
 - Consistent policy with other missions
- Guideline for large project awards reduced $8 \rightarrow 3$
- More detail in page limit, formatting guidelines
- Schedule still driven by agency budgeting cycle



Cycle-3 Timeline



Announcement (as part of ROSES 2008) September, 2009

Release online proposal aids & November 5, 2009

documentation

Notices of Intent (optional) November 16, 2009

Proposals Due February 5, 2010

Proposal Peer Review Late April, 2010

Stage-II (budget proposal) solicitation May, 2010

Budget deadline, processing & grants

June-July, 2010

administration

Fermi Cycle 3 Begins Mid August, 2010



User Support: FSSC



- The FSSC is responsible for all areas of User Support:
 - Developing & maintaining a public data archive
 - Coordinated w/HEASARC
 - Maintain public distribution site for the analysis software
 - developed in collaboration with the Instrument Teams.
 - Administer Guest Investigator Program for NASA HQ
 - Providing technical and scientific support to GIs.
 - Providing the science timelines to the MOC
- The FSSC is an organization within the NASA GSFC Astrophysics Science Division
- FSSC staff includes scientists, scientific programmers, and administrative support staff



User Support: FSSC (con.)



• Web services:

- Mission news & information,
- NRAs & support materials
- Online resources & support tools
- Planning resources (mission timelines, multi-wavelength campaign logging)
- Distribution of & support science analysis SW
- Phone & e-mail technical/scientific support
- Proposal reviews, grant administration
- Reporting to Fermi Users Group

<http://fermi.gsfc.nasa.gov/ssc/>



Basic Data Policy



- Mission cycle 2 & beyond:
 - All Science Data Are Public As Soon As Processed
- Automated pipeline, SLAC→ FSSC
 - -<2-day latency requirement, but typically <1 day




Public Data Archive



LAT data server fully operational since 8/2009.

Basic products: screened event lists, spacecraft history file.

Please read caveats, basic data selection and exploration threads





Public Data Archive



Rate of data queries:

Archive statistiscs:


Total photons in database: 217478410 (18.8 Gb)

Total spacecraft positions in database: 1164576 (0.3Gb)

Total photons served: 13230597921 (1141.4 Gb)

Total extended photons served: 540008960 (87.0 Gb)

Total queries: 4831





Public Data Archive



Current databases include LAT lightcurves (~45 objects), GBM trigger, GRB and continuous data + pulsar ephemerides and (soon) 1-yr source catalog.

Archive Search of FERMI and object Catalog(s)

Main Search Form > Search Form > Search Results > Choose Data Products

[♣] Sort by a column in order: 1,2,3 Sort by column in reverse order: 3,2,1

Select: All ☑	Description⊕⊕	Catalog∜û	Data⊕û	Default Radius (arcmin)♣�	Mission⊕û	Table Type ∜ む
V	Fermi GBM Burst Catalog	fermigbrst	Υ	30	FERMI	Object
✓	Fermi GBM Trigger Catalog	fermigtrig	Υ	30	FERMI	Object
✓	Fermi GBM Daily Data	fermigdays	Υ	***	FERMI	Observation
✓	Fermi LAT Monitored Source List	fermilasp	N	10	FERMI	Object
~	Fermi LAT Bright Source List	fermilbsl	N	30	FERMI	Object

2. Do you want to change any of your current query selections?

Databases are implemented under HEASARC Browse. &/or simple www interface.

Please select one or more of the tables below.



Public Data Archive: LAT LCs



Fermi

Science Support Center

номе RESOURCES PROPOSALS

DATA

HELP

VWW interface to AT lightcurves

+ FSSC Home

Data

Data Policy

Data Access

- + LAT Data
- + GBM Data

Data Analysis

Newsletter

FAQ

Monitored Source List Light Curves

Source	Daily LC	Weekly I
4C 31.03 (RA = 18.2100, Dec = 32.1380) » Daily Light Curve » Daily Light Curve Fits File » Weekly Light Curve » Weekly Light Curve Fits File	The state of the s	Source = 3C 454.3 Duration = 86400.0
0208-512 (RA = 32.6930, Dec = -51.0170) » Daily Light Curve » Daily Light Curve Fits File » Weekly Light Curve » Weekly Light Curve Fits File		5×10-6 4×10-6 3×10-6
3C 66A (RA = 35.6650, Dec = 43.0350) » Daily Light Curve » Daily Light Curve Fits File » Weekly Light Curve » Weekly Light Curve Fits File		1×10-6
Vorkshop Stanford U	niversity, Decer	2.35×10° 2.40×10° 2.45×10° 2.50×10° 2.55×10° 2.55×10°



GBM: Database Access



GBM Burst catalog: contains ~300 bursts. Also trigger catalog w/solar flares (more to come..), SGR and TGFs

Fermi GBM Burst Catalog (fermigbrst) Bulletin README

Select	Services	version	trigger name	name T	<u>ra</u>	dec	time	end time	trigger time	reliability
Q □ 9	<u>RNSDH</u>	0	bn080912360	GRB080912360	02 04 04.0	-06 39 00	2008-09-12 08:36:41.01	2008-09-12 08:46:56.01	2008-09-12 08:38:55.02	0.3647
\odot	<u>RNSDH</u>	0	bn080916009	GRB080916009	07 18 16.0	-57 47 00	2008-09-16 00:10:30.98	2008-09-16 00:20:45.97	2008-09-16 00:12:44.99	0.9373
Q □ <u> </u>	<u>RNSDH</u>	0	bn080916406	GRB080916406	23 05 32.0	-61 51 00	2008-09-16 09:43:03.96	2008-09-16 09:53:18.01	2008-09-16 09:45:17.97	0.4824
\odot	<u>RNSDH</u>	0	bn080919790	GRB080919790	13 50 28.0	+78 09 00	2008-09-19 18:55:21.99	2008-09-19 19:05:36.99	2008-09-19 18:57:34.96	0.5686
Q 🗆	<u>RNSDH</u>	0	bn080920268	GRB080920268	08 19 16.0	+00 06 00	2008-09-20 06:23:34.97	2008-09-20 06:33:49.97	2008-09-20 06:25:48.03	0.8353
\odot	<u>RNSDH</u>	0	bn080924766	GRB080924766	05 17 36.0	+33 58 00	2008-09-24 18:20:24.98	2008-09-24 18:30:30.99	2008-09-24 18:22:35.96	0.3569
Q □	<u>RNSDH</u>	1	bn080925775	GRB080925775	06 27 04.0	+21 11 00	2008-09-25 18:33:40.98	2008-09-25 18:43:55.03	2008-09-25 18:35:54.99	0.5529
Q □	<u>RNSDH</u>	0	bn080927480	GRB080927480	03 20 32.0	+38 10 00	2008-09-27 11:28:17.04	2008-09-27 11:38:31.00	2008-09-27 11:30:32.00	0.7098
Q □	<u>RNSDH</u>	2	bn080928628	GRB080928628	06 54 20.0	-65 01 00	2008-09-28 15:02:43.04	2008-09-28 15:12:58.03	2008-09-28 15:04:56.01	0.4000
\odot	<u>RNSDH</u>	0	bn081003644	GRB081003644	17 55 44.0	+26 01 00	2008-10-03 15:25:06.04	2008-10-03 15:35:13.00	2008-10-03 15:27:17.02	0.4941
Q □	<u>RNSDH</u>	1	bn081003779	GRB081003779	14 24 12.0	-72 08 00	2008-10-03 18:39:27.96	2008-10-03 18:49:33.97	2008-10-03 18:41:39.03	0.5216
\odot	<u>RNSDH</u>	0	bn081006604	GRB081006604	09 32 32.0	-64 50 00	2008-10-06 14:27:18.98	2008-10-06 14:31:57.01	2008-10-06 14:29:34.02	0.9137
Q □	<u>RNSDH</u>	0	bn081008832	GRB081008832	19 47 36.0	-46 12 00	2008-10-08 19:55:50.02	2008-10-08 20:05:56.03	2008-10-08 19:58:01.00	0.8118
\odot	<u>RNSDH</u>	1	bn081009140	GRB081009140	16 44 19.2	+17 12 36	2008-10-09 03:18:45.01	2008-10-09 03:29:00.01	2008-10-09 03:20:57.98	0.6902
Q 🗆	<u>RNSDH</u>	0	bn081009690	GRB081009690	04 45 56.0	+16 22 00	2008-10-09 16:31:18.97	2008-10-09 16:41:33.01	2008-10-09 16:33:37.04	0.5137
Q □	<u>RNSDH</u>	2	bn081012045	GRB081012045	05 14 45.6	-00 39 36	2008-10-12 01:03:08.04	2008-10-12 01:13:21.99	2008-10-12 01:05:22.04	1.0000



Submitting a proposal



- Stage-1 (scientific) proposal submission is straight forward
 - HEASARC ARK/RPS facility
- No paper submission or institutional signatures required at this stage
- Web-based form, self documented, verification feature
- 4- and 6-page limits for regular/large proposals
 - Science justification as PDF attachment
- 1-page technical appendix for joint NOAO or NRAO programs
- Stage-2 proposal managed by NASA HQ/NRESS
 - Must use NSPIRES facility



Submitting a proposal



Astrophysics Research Knowledgebase A									
NASA's H	EASA	RC: Ar	chive		\r				
ARK HOME	FAQ	HELP	EDIT PROFILE	CHANGE PASSWORD	My ARK L				

Verify Save Reload LaTeX PostScript PDF Add Targets Feedback

Proposal for Fermi Guest Investigator AO-2

There are only 37 days remaining until the submission deadline at 4:30pm EST on 2009-03-06.

Need help? All field labels link to a quick reference with additional information on each field in the form.

Click on the green triangles to the left of the section headers to toggle the display of individual sections of the form.

Cover Page	
<u>Proposal Title</u>	
Abstract	
Subject Category	
Select	
Proposal Type	
Select	
Observation Type	
Select	
- Joint Proposal?	

Fermi Data Analysis Workshop

ARK/RPS page for Fermi GI program. Straight forward, internally documented web form. Sub-menus for NOAO, NRAO requests. File input accommodated for large target lists. Verification feature & upload function.



A Few Tips



- NOAO, and to a lesser extent, NRAO have been undersubscribed resources
- If you do ask for time on those facilities, be thorough in detailing your observation plans
- Don't propose for a multi-year program unless you can REALLY justify it
- Don't ask for pointed observations unless you REALLY understand the technical issues



A Few Tips (con.)



- Don't cheat on the format guidelines
 - Tiny margins and small print annoy reviewers
- Typically cited peer-review "weakness"
 - Relevance to Fermi not well demonstrated
- Don't promise resources e.g. supporting observations facilities – that you don't really have



Summary



- Cycle-3 deadline is rapidly approaching!
 - February 5, 2010
- Online resources available
 - NRA, detailed proposal instructions
 - Hierarchical documentation set
- Source list, 1-year catalog (soon)
- Science Analysis Tools & Data available
- Expanded opportunities
 - no proprietary data for Cycle-2 & beyond
- We look forward to your participation!



Extra Slides




• Extra slides




GBM Analysis



GBM data can be analyzed using a subset of the Fermi Science tools suite + **HEASARC** FTOOLS & XSPEC packages.





Alternative, GBMspecific software to be released from MSFC in near future



Cycle-2: A few Details



- As for Cycle 1, opportunity for joint NOAO and NRAO facility programs
 - − Up to ~10% of time on various NRAO facilities
 - − ~1-5% on various NOAO telescopes
 - Refer to FSSC web pages for details of agreement
- Two stage proposal process
 - Stage 1 scientific evaluation; ARK/RPS submission
 - Stage 2 budget proposal: NSPIRES
- Stage 1 proposal form requires proposer supplied budget cap, + absolute ceilings (\$100k & \$200k) imposed by NRA



New for Cycle-2



- Anticipate ~2X increase in participation;
 - − ~\$8M grant support
- LAT data analysis is likely to be the predominant mode of participation
- Possible to request pointed observation
 - Scheduled &/or ToO (likely to be limited)
- Instrument performance established
- Bright Source List: resource to proposers
 - $->10\sigma$ significance list, released Feb 9
 - Instrument team generates all-sky catalog after year 1
- Software suite available
 - Simulation capability
 - Assess analysis capabilities



LAT GRB Summary Info



Fermi LAT GRB Table

Fermi SSC Home » LAT GRB Search

- · 4 bursts met your search criteria.
- Database last updated: Monday, December 22, 2008, 14:55:19 EST
- Download this table as a tab-delimited text file: grb_table_1233073601.txt

GRB	Time [UT]	Trigger Number	LAT RA (J2000)	LAT Dec (J2000)	LAT Counts	LAT Burst Advocate	GBM RA (J2000)	GBM Dec (J2000)	GBM Fluence [10 ⁻⁵ erg/cm ² /s]	C
081215A	18:48:36.85	251059717	TBD 00:00:00.0	TBD 00:00:00.0	ТВО	Julie McEnery	135.0 09:00:00.0	53.8 53:48:00.0	5.44	68.9
081024B	21:22:41	246576161	322.9 21:31:36.0	21.204 21:12:14.4	n/a	Nicola Omodei	n/a	n/a	0.034	4.2
080916C	00:12:45	243216766	119.88 07:59:31.2	-56.59 56:35:24.0	n/a		121.8 08:07:12.0	-61.3 61:18:00.0	19	n/a
080825C	14:13:48	241366429	233.96 15:35:50.4	-4.72 04:43:12.0	n/a		232.2 15:28:48.0	-4.9 04:54:00.0	2.4	n/a

^{*} All numbers are preliminary and may be revised as we do reprocessing (s/w improvements, thinking/experience improvements). Users are encouraged to view the ac

Fermi SSC Home » LAT GRB Search

Summary information –trigger time, sky position, net counts, GBM fluence – is available on line to facilitate GRB researchers



Public Data Archive: GBM



Burst Data Products

- Time-Tagged Events (TTE)— counts in 128 energy channels from each detector
- Background Spectra—estimated background spectra for the period of the burst
- Detector Response Matrices (DRMs)—the detector response matrix
- Catalog entry—summary info: duration, fluence, lightcurves, spectral params
- CTIME and CSPEC —series of spectra w/different temporal & spectral resolution
- TRIGDAT—burst alert telemetry, information downlinked after a burst.

Continuous Data Products

- CTIME and CSPEC— series of spectra w/different temporal & spectral resolution
- Calibration and Housekeeping Files